

ARMOS

▲ ABOVE YOUR IMAGINATION

LINEAR PUNCH **SERIES**

600x1200mm




LINEAR BEAUTIC GOLD

SIZE
600X1200 MM


FINISH
MATT

RENDOM
04



ARMOS
ABOVE YOUR IMAGINATION

LINEAR PUNCH SERIES




LINEAR BURBERRY BLACK

SIZE
600X1200 MM

FINISH
MATT

RENDOM
04



LINEAR DOLCE BIANCO

SIZE
600X1200 MM

FINISH
MATT

RENDOM
04




LINEAR DOLCE GREY

SIZE
600X1200 MM

FINISH
MATT

RENDOM
04



LINEAR DOLCE BROWN

SIZE


600X1200 MM

FINISH

MATT

RANDOM

04




LINEAR DOLCE CREMA

SIZE
600X1200 MM

FINISH
MATT

RENDOM
04




LINEAR DOLCE MOKA

SIZE
600X1200 MM

FINISH
MATT

RENDOM
04



LINEAR MORPHIC WHITE

SIZE
600X1200 MM

FINISH
MATT

RENDOM
04



LINEAR SOFT CREMA

SIZE
600X1200 MM

FINISH
MATT

RENDOM
04



LINEAR TOKYO BIANCO

SIZE


600X1200 MM

FINISH

MATT

RANDOM

04



LINEAR TOKYO NERO

SIZE

600X1200 MM

FINISH


MATT

RANDOM

04

ARMOS
ABOVE YOUR IMAGINATION

LINEAR PUNCH SERIES




LINEAR TOUCHE ZEBRE

SIZE
600X1200 MM

FINISH
MATT

RENDOM
04



LINEAR WEB CHOCO

SIZE
600X1200 MM

FINISH
MATT

RENDOM
04




LINEAR WEB CREMA

SIZE
600X1200 MM

FINISH
MATT

RENDOM
04



LINEAR ABRODE NATURAL


SIZE
600X1200 MM

FINISH
MATT

RENDOM
04

ARMOS
ABOVE YOUR IMAGINATION

LINEAR PUNCH SERIES




LINEAR ANTALIA NATURAL

SIZE
600X1200 MM

FINISH
MATT

RENDOM
04



LINEAR ROYAL IVORY

SIZE


600X1200 MM

FINISH

MATT

RANDOM

04



LINEAR ROYAL PINK

SIZE

600X1200 MM

FINISH

MATT

RENDOM

04



LINEAR ALBORAN BEIGE

SIZE

600X1200 MM

FINISH

MATT

RANDOM

04



LINEAR ALBORAN TAUPE

SIZE

600X1200 MM

FINISH

MATT

RANDOM

04

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/ EN14411 GROUP B1a	MEAN VALUE
REGULATORY PROPERTIES		
Deviation in length & width	±0.5%	± 0.1%
Deviation in thickness	±5.0%	4.0%
Straightness in side	±0.5%	±0.1%
Rectangularity	±0.5%	±0.1%
Surface flatness	±0.5%	±0.2%
Surface quality	Min. 95% defect free	> 95%
Colour difference	Unaltered	Unaltered
Glossiness	> 90 GU	> 90 GU
STRUCTURAL PROPERTIES		
Water absorption	< 0.50%	< 0.05%
Apparent density	> 2.0 g/cc	> 2.20 g/cc
MASSIVE MECHANICAL PROPERTIES		
Modulus of rupture	> 35 N/mm ²	> 40 N/mm ²
Breaking strength	> 1300 N	> 1800 N
Impact resistance (COR)	>0.55	>0.55
SURFACE MECHANICAL PROPERTIES		
Surface abrasion resistance	Declared class	Class PEI 3
Surface scratch hardness (Mohs scale)	5	5
THERMO HYGROMETRIC PROPERTIES		
Frost resistance	Test passed in accordance with test method	pass
Thermal shock resistance	Min. 10 cycle	pass
Moisture expansion	0.06mm/m	0.01mm/m
Thermal expansion (COE)	Max. 9.0 x 10	Max. 6.5 x 10
Crazing resistance	No damage	No damage
CHEMICAL PROPERTIES		
Chemical resistance	No damage	No damage
Stain resistance	Min. Class 3	Class 5
SEFETY PROPERTIES		
Slip resistance (COF)	Declared value	> 0.40 dry, <0.40 wet
Reaction to fire	Class A1 or A1 fl	Class A1-A1 fl

PACKING DETAIL

Size	pcs/box	m ² /Box
600x1200mm	2 pcs	1.44 Sq.Mtr.