


Ultimate Collection 0 O B × We define our core purpose by striving as a socially responsible partner for delivering with beyond satisfaction.



Our Inframarket TBS Pvt. Ltd. is all geared up to storm the floor tiles market. Not overlooking the Indian customer's preference for style and look, we would introduce the range in various captivating and contemporary designs and colors. Our floor tiles have superb polishing and are equipped with nanotechnology units for a better after-fit finish. We have built a reputation for delivering high-end floor tiles products to our customers. We are dedicated to achieving the highest levels of customer satisfaction by continuously improving quality and product range to deliver high value to customers.

A surface that transcends conventional aesthetics and sets a new visually appealing trend.







Advantages



EASY INSTALLATION



EASY TO KEEP CLEAN



THERMAL SHOCK RESISTANT



ECO **FRIENDLY**



RESISTANT



SCRATCH RESISTANT



EASY TO REPLACE



RESISTANT TO ACID & CHEMICAL

Application Areas

These slabs are not only highly durable and aesthetically pleasing, but also versatile. They can be used for both walls and floors, and can even enhance the appearance of creative teapoys.










ARCO BEIGE



Collection: **Engrave**

Size: **800x1600**mm





ARCO SILVER



Collection: **Engrave**

Size: **800x1600**mm

Finish: **Carving**

Thickness: **9mm**







Floor

Teapoy

RANDOM - 3



ASIATIC GREY



Collection: **Engrave**

Size: **800x1600**mm

Finish: **Carving**

















RANDOM - 4




BOTOCHINO DELUX



Collection: **Engrave**

Size: **800x1600**mm





CAMPUS GREY



Collection: **Engrave**

Size: **800x1600**mm

Finish: **Carving**
















COSMIC BEIGE ROSALIA



Collection: **Engrave**

Size: **800x1600**mm





DIOR BEIGE



Collection: **Engrave**

Size: **800x1600**mm

Finish: **Carving**















DIOR GREY



Collection: **Engrave**

Size: **800x1600**mm

Finish: **Carving**
















HONEY WHITE



Collection: **Engrave**

Size: **800x1600**mm

Finish: **Carving**

Thickness: **9mm**
















HALDEN GREY



Collection: **Engrave**

Size: **800x1600**mm

Finish: **Carving**

Thickness: **9mm**
















JORDAN BIANCO



Collection: **Engrave**


Size: **800x1600**mm

Finish: **Carving**

Thickness: **9mm**















JORDAN DARK GREY



Collection: **Engrave**

Size: **800x1600**mm

Finish: **Carving**

Thickness: **9mm**












LOREX WHITE



Collection: **Engrave**

Size: **800x1600**mm






MIRAMAR BEIGE



Collection: **Engrave**

Size: **800x1600**mm





MIRAMAR GREY



Collection: **Engrave**

Size: **800x1600**mm

Finish: **Carving**













NEXO GREY




Collection: **Engrave**


Size: **800x1600**mm

Finish: **Carving**












SIERRA LIGHT




Collection: **Engrave**

Size: **800x1600**mm





SATVARIO




Collection: **Engrave**

Size: **800x1600**mm

Finish: **Carving**

Thickness: **9mm**



Wall















TREVATINO CLASIC



Collection: **Engrave**

Size: **800x1600**mm


Finish: **Carving**














Discover fine craftsmanship and exquisite detailing with finely carved veins from the Sinox Series by our. The collection of tiles in superior carving finish equipped with unmatched attributes and seamless appeal showcase raw and refined elegance. Further, the uneven distribution of veins on tiles gives a marvelous e ect when laid on spaces. Give your space a transforming look with trendsetting tiles from the Sinox Series.

SINOX IVORY






SINOX BEIGE






SINOX SILVER





SINOX GREY



Teapoy



SINOX DECOR




Collection: **Engrave**

Size: **800x1600**mm

Finish: **Carving**












CARVING BOOK. 25

80x160cm


BURRIN CARRARA



Collection: **Seamless**

Size: **800x1600**mm


Finish: **Carving**



RANDOM - 4




DELTA LIGHT



Collection: **Seamless**

Size: **800x1600**mm

Finish: **Carving**





DEAN GREY



Collection: **Seamless**

Size: **800x1600**mm

Finish: **Carving**

















DEAN DARK



Collection: **Seamless**

Size: **800x1600**mm

Finish: **Carving**
















LAGUNA BROWN



Collection: **Seamless**

Size: **800x1600**mm

Finish: **Carving**











LAGUNA GREY



Collection: **Seamless**

Size: **800x1600**mm

Finish: **Carving**

















NOLIN LIGHT



Collection: **Seamless**

Size: **800x1600**mm

Finish: **Carving**





NIVAL GREY



Collection: **Seamless**

Size: **800x1600**mm

Finish: **Carving**





PRIMAVERA WHITE





Collection: **Seamless**


Size: **800x1600**mm

Finish: **Carving**

Thickness: **9mm**







Teapoy



PLATINUM BIANCO



Collection: **Seamless**

Size: **800x1600**mm

Finish: **Carving**















RIGATO WHITE



Collection: **Seamless**

Size: **800x1600**mm

Finish: **Carving**
















TEXAS GOLD



Collection: **Seamless**

Size: **800x1600**mm

Finish: **Carving**





TECHNICAL SPECIFICATION OF GLAZED VITRIFIED TILES

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP Bla	MEAN VALUE	TEST METHOD
REGULATORY PROPERTIES			
Deviation in length & width	± 0.5%	± 0.20%	ISO -10545-2
Deviation in thickness	± 0.5%	± 0.50%	ISO -10545-2
Straightness in side	± 0.5%	± 0.20%	ISO -10545-2
Rectangularity	± 0.6%	± 0.20%	ISO -10545-2
Surface flatness	± 0.5%	± 0.20%	ISO -10545-2
Color difference	Unlterned	No change	ISO -10545-16
Glossiness	As per mfg.	Min 90%	GLOSSO METER
STRUCTURAL PROPERTIES			,
Water absorption	> 0.5 %	> 0.05 %	ISO-10545-3
Apparent density	> 2.5 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			,
Modulus of rupture	Min. 35 N/mm²	Min. 40 N/mm²	SO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			,
Surface abrasion resistance	As per mfg.	Min. Class-3	ISO-10545-7
MOH's hardness	As per mfg.	Min. 4	EN 101
THERMO HYGROMETRIC PROPERTIES			
Frost resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Nill	Nill	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES			,
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES	1		'
Slip resistance	As per mfg.	> 0.40 %	ISO-10545-17
Fire resistance	As per mfg.	Fire Proof	N.A.

PACKING DETAIL

TILE SIZE	800x1600mm	
THICKENESS (APPROX.)	9 mm	
Pieces / Per Box	2 pcs.	
Coverage Area In Sq. Ft.	27.55	
Box Weight (APPROX.)	51 kg	